## Brazil

## 7-15 February 2009

## **Participants:**

Heather Collett Gerard Gorman Kenneth Hall John Moon Colin Wilson Jeremy Bishop

Leader: Peter Forrest



**Swallow Tanager** 

**<u>Day 1:</u>** Departure from the UK and overnight in Rio.

<u>Day 2</u>: The group were picked up from their hotel in Rio de Janeiro at 08.00 and transferred to Serra dos Tucanos Lodge. Species seen on the transfer included Brown Booby, Kelp Gull, and Magnificent Frigatebird. On arrival at the lodge the group quickly settled into birding the gardens and watching many species of tanagers feeding at the bird tables and studying the several species of hummingbirds that regularly come to the sugar feeders on the verandas. After lunch we walked the Cedae trail. **Species of note for the day included:** Maroon-bellied and Plain Parakeets, Saw-billed Hermit, Sombre Hummingbird, Black Jacobin, Violet-capped Woodnymph, Chestnut-bellied Euphonia, and Green-headed, Golden-chevroned, Brazilian, Olive-green and Ruby-crowned Tanagers.

<u>Day 3:</u> The day was spent birding the lodge trails and garden. **Species of note for the day included:** Solitary Tinamou, Blue-bellied Parrot, Blond-crested Woodpecker, White-eyed Foliage-gleaner, Ferruginous Antbird, Scaled Antbird, Yellow-lored Tody-flycatcher, and Black-throated Grosbeak.

<u>Day 4:</u> As the group was smaller than usual it was decided to do the Bamboo trail instead of the upper section of the National Park. **Species of note for the day included:** Scale-throated Hermit, Plovercrest, Lesser Woodcreeper, White-throated Woodcreeper, White-browed Foliage-gleaner, Bertoni's Antbird, Ochre-rumped Antbird, Slaty Bristlefront, Hooded Berryeater, Greenish Schiffornis, White-rimmed Warbler, and Brassybreasted tanager.

<u>Day 5:</u> The morning was spent in the lower section of the National Park and after lunch the group birded the lodge trails. **Species of note for the day included:** Yellow-throated and Yellow-eared Woodpeckers, Black-capped Foliage-gleaner, Star-throated Antwren, Grey-hooded Flycatcher, and Yellow-green Grosbeak.

<u>Day 6:</u> Clear skies meant an attempt at higher altitudes was warranted. The first couple of hours were spent on the upper section of the Pico de Caledonia access road. The rest of the day was spent on the lower section. **Species of note for the day included:** Slaty-breasted Wood-rail, Yellow-browed Woodpecker, Scaled Woodcreeper, Red-eyed Thornbird, Rufous-tailed and Dusky-tailed Antbirds, Serra do Mar Tapaculo,

Swallow-tailed Cotinga, Blue-billed Black-tyrant, Shear-tailed Grey Tyrant, Serra do Mar Tyrannulet, Diademed Tanager, Thick-billed Saltator, and Bay-chested Warbling-finch.

<u>Day 7:</u> The morning was spent at the Regua wetland reserve. After lunch the group birded the lodge trails. **Species of note for the day included:** Tataupa Tinamou, Tail-banded Hornero, Tufted Antshrike, Sooretama Slaty-antshrike, Chestnut-backed Antshrike, White-flanked Antwren, Lemon-chested Greenlet, and Swallow Tanager.

<u>Day 8:</u> After breakfast we headed off for the hours drive to the start of the Portao Azul trail. In the afternoon we birded along the road to Macae de Cima. **Species of note for the day included:** Pallid Spinetail, Sharp-billed Treehunter, Rufous Gnateater, Grey-hooded Attila, Grey-capped Tyrannulet, Gilt-edged Tanager, Uniform Finch, and Half-collared Sparrow.

<u>Day 9:</u> Without doubt the Three-toed Jacamar is one of the target species of the whole week. We departed early for an hours drive to where the days birding began. **Species of note for the day included:** Blackish Rail, Bluewinged Macaw, Three-toed Jacamar, White Woodpecker, Streamer-tailed Tyrant, Firewood Gatherer and Black-capped Donacobius.

<u>Day 10</u>: The group spent the morning around the lodge before departing back to Rio for their flight home at 13.30.

During the groups stay we had a combined total of 239 species seen with a further 10 heard. A total of 69 Atlantic forest endemics were seen.

Pete Forrest Serra dos Tucanos Lodge

## **FULL SPECIES LIST**

Species with a \* are endemic to the Atlantic rain forest.

\*SOLITARY TINAMOU (Tinamus solitarius) – One at the lodge on the 8th.

**BROWN TINAMOU** (*Crypturellus obsoletus*) – Heard on several occasions and one was seen at the Portao Azul on the 13<sup>th</sup>.

TATAUPA TINAMOU (Crypturellus tataupa) – Heard on the Jacamar excursion and one seen at the wetland reserve on the 12th.

**BROWN BOOBY** (*Sula leucogaster*) – Two on the journey up from Rio on the 7<sup>th</sup>.

**NEOTROPIC CORMORANT** (*Phalacrocorax brasilianus*) – Several recorded on the journey up from Rio on the 7<sup>th</sup>.

MAGNIFICENT FRIGATEBIRD (Fregata magnificens) – Several were recorded from the Rio Niteroi bridge on the 7<sup>th</sup>.

**GREAT EGRET** (*Ardea alba*) – Seen in most wet areas along the roadside when on excursions.

**SNOWY EGRET** (*Egretta thula*) – Several recorded on the journey up from Rio on the 7<sup>th</sup>.

**CATTLE EGRET** (*Bubulcus ibis*) – Seen commonly in any suitable habitat.

**STRIATED HERON** (*Butorides striatus*) – Singles at the wetland reserve and on the Jacamar excursions.

WHISTLING HERON (Syrigma sibilatrix) – One the Jacamar excursion on the 14th.

**BLACK-CROWNED NIGHT-HERON** (*Nycticorax nycticorax*) – Several recorded on the journey up from Rio on the 7<sup>th</sup>.

LIMPKIN (Aramus guarauna) – Singles at the wetland reserve and on the way to the National Park.

WHITE-FACED WHISTLING DUCK (*Dendrocygna viduata*) – Two at the wetland reserve and one on the drive to the National Park.

BRAZILIAN TEAL (Amazonetta braziliensis) - Ten at the wetland reserve and three on the Jacamar excursion.

BLACK VULTURE (Coragyps atratus) - Seen daily, common.

TURKEY VULTURE (Cathartes aura) – Seen almost daily, common.

**RUFOUS-THIGHED KITE** (*Harpagus diodon*) – One at the wetland reserve on the 12<sup>th</sup>.

SAVANNA HAWK (Heterospizias meridionalis) - Recorded in small numbers on most excursions.

ROADSIDE HAWK (Buteo magnirostris) - Recorded almost daily in small numbers.

WHITE-TAILED HAWK (Buteo albicaudatus) – Two on the high altitude and four Jacamar on the excursions.

**SOUTHERN CARACARA** (*Caracara plancus*) – Recorded almost daily from suitable habitats.

YELLOW-HEADED CARACARA (Milvago chimachima) – Recorded almost daily from suitable habitats.

**AMERICAN KESTREL** (*Falco sparverius*) – Three on the Jacamar excursion on the 12<sup>th</sup>.

APLOMADO FALCON (Falco femoralis) - Two on the high altitude and two on the Portao Azul excursions.

**BAT FALCON** (*Falco rufigularis*) – One on the Jacamar excursion on the 14<sup>th</sup>.

**DUSKY-LEGGED GUAN** (*Penelope obscura*) – Two at the Portao Azul on the 13<sup>th</sup>.

\* SLATY-BREASTED WOOD-RAIL (Aramides saracura) - Up to six daily on four dates.

**BLACKISH RAIL** (*Pardirallus nigricans*) – Two on the Jacamar excursion on the 14<sup>th</sup>.

ASH-THROATED CRAKE (Porzana albicollis) – Heard only, on the Jacamar excursion on the 14th.

**PURPLE GALLINULE** (*Porphyrio martinica*) – Several were seen at the wetland reserve on the 12<sup>th</sup> and one on the Jacamar excursion on the 14<sup>th</sup>.

**COMMON MOORHEN** (*Gallinula chloropus*) – At least 20 birds at the wetland reserve on the 12<sup>th</sup> and two on the Jacamar excursion on the 14<sup>th</sup>.

WATTLED JACANA (Jacana jacana) – Up to ten daily on four dates.

**SOUTHERN LAPWING** (Vanellus chilensis) – Recorded almost daily in suitable habitats.

**KELP GULL** (*Larus dominicanus*) – Small numbers were recorded on the journey from Rio.

PICAZURO PIGEON (Patagionas picazuro) – Small numbers recorded most days.

**PLUMBEOUS PIGEON** (*Patagionas plumbea*) – A single on the drive back from Macae de Cima on the 13<sup>th</sup>.

**RUDDY GROUND-DOVE** (*Columbina talpacoti*) – Seen in small numbers almost daily.

**GREY-FRONTED DOVE** (*Leptotila rufaxilla*) – Up to two daily on three dates.

**BLUE-WINGED MACAW** (*Ara maracana*) – Ten on the Jacamar excursion on the 14<sup>th</sup>.

WHITE-EYED PARAKEET (Aratinga leucophthalmus) – At least twenty were seen on the Jacamar excursion.

- \* MAROON- BELLIED PARAKEET (*Pyrrhura frontalis*) Small numbers recorded in the lodge gardens daily, also seen on several of the excursions.
- \* PLAIN PARAKEET (Brotogeris tirica) Small numbers recorded in the lodge gardens daily, also seen on several of the excursions.

**BLUE-WINGED PARROTLET** (*Forpus crassirostris*) – Two at the lodge on the 8<sup>th</sup>.

**SCALY-HEADED PARROT** (*Pionus maximiliani*) – Recorded within the lodge grounds on several occasions, also on several of the excursions.

\* BLUE-BELLIED PARROT (Triclaria malachitacea) - One at the lodge on the 8th.

**SQUIRREL CUCKOO** (*Piaya cayana*) – One or two birds were recorded almost daily.

SMOOTH-BILLED ANI (Crotophaga ani) – Seen commonly in any suitable habitat.

GUIRA CUCKOO (Guira guira) – Seen commonly in any suitable habitat.

BURROWING OWL (Athene cunicularia) – Two on the high altitude and one on the Jacamar excursions.

WHITE-COLLARED SWIFT (Stretoprocne zonaris) – Four on the Jacamar excursion on the 14th.

GREY-RUMPED SWIFT (Chaetura cinereiventris) - Birds going to roost were seen on several dates at the lodge.

**ASHY-TAILED SWIFT** (*Chaetura andrei*) – A single at the lodge on the 7<sup>th</sup>.

LESSER SWALLOW-TAILED SWIFT (Panyptila cayennensis) – Twenty over the lodge on the 12<sup>th</sup>.

\* SAW-BILLED HERMIT (Ramphodon naevius) - Recorded almost daily around the lodge.

**RUFOUS-BREASTED HERMIT** (*Glaucis hirsute*) – Singles at the lodge on the 7<sup>th</sup> and 9<sup>th</sup>.

**PLANALTO HERMIT** (*Phaethornis pretrei*) – One on the Jacamar excursion on the 14<sup>th</sup>.

\* SCALE-THROATED HERMIT (Phaethornis eurynome) – Two on the Bamboo trail and one at Macae de Cima.

**REDDISH HERMIT** (*Phaethornis rubber*) – Singles at the lodge on three dates.

\* SOMBRE HUMMINGBIRD (Campylopterus cirrhochloris) – Recorded daily at the lodge.

SWALLOW-TAILED HUMMINGBIRD (Eupetomena macroura) – Seen daily in a variety of habitats.

- \* BLACK JACOBIN (Melanotrochilus fuscus) Seen daily around the lodge and on several of the excursions.
- \* PLOVERCREST (Stephanoxis lalandi) Two on the high altitude excursion and one on the Bamboo trail.

**GLITTERING-BELLIED EMERALD** (*Chlorostilbon aureoventris*) – Three on the Jacamar excursion on the 14<sup>th</sup> and one on the high altitude excursion on the 11<sup>th</sup>.

\* VIOLET-CAPPED WOODNYMPH (Thalurania glaucopis) – Seen daily around the lodge and on several of the excursions.

**VERSICOLOURED EMERALD** (*Agyrtria versicolor*) – One at the lodge feeders on several dates.

**SAPPHIRE-SPANGLED EMERALD** (*Polyerata lacteal*) – Two on the Jacamar excursion on the 14<sup>th</sup>.

**BRAZILIAN RUBY** (*Clytolaema rubricauda*) – Up to three daily on four dates.

**BLACK-THROATED TROGON** (*Trogon rufus*) – Singles on the Bamboo trail and at the National Park.

SURUCUA TROGON (Trogon surrucura) - Two on the Cedae trail and one at the National Park.

**RINGED KINGFISHER** (*Ceryle torquata*) – Up to four daily on four dates.

AMAZON KINGFISHER (Chloroceryle amazona) – Up to two daily on three dates.

**GREEN KINGFISHER** (*Chloroceryle Americana*) – One at the lodge on the 9<sup>th</sup> and one at the wetland reserve on the 12<sup>th</sup>.

RUFOUS-TAILED JACAMAR (Galbula ruficauda) – One at the wetland reserve on the 12th.

\* THREE-TOED JACAMAR (Jacamaralcyon tridactyla) – As usual this bird performed very well with one being seen on the 14th.

**BUFF-BELLIED PUFFBIRD** (*Notharchus swainsoni*) – One on the Cedae trail on the 7<sup>th</sup>.

WHITE-EARED PUFFBIRD (*Hystalus chacuru*) – One on the drive to the National Park on the 10<sup>th</sup>.

**SPOT-BILLED TOUCANET** (*Selenidera maculirostris*) – A single and a pair at the lodge on the 13<sup>th</sup> and 7<sup>th</sup> respectively.

CHANNEL-BILLED TOUCAN (Rhamphastos vitellinus) – Up to three daily on four dates.

WHITE-BARRED PICULET (Picumnus cirratus) - Up to two daily on five dates.

**CAMPO FLICKER** (*Colaptes campestris*) – Up to thirteen daily on four dates.

YELLOW-THROATED WOODPECKER (Piculus flavigula) – Two at the National Park on the 10th.

\* YELLOW-BROWED WOODPECKER (Piculus aurulentus) - Singles on the Cedae trail and on the high altitude excursion.

BLOND-CRESTED WOODPECKER (Celeus flavescens) - Recorded on several dates at the lodge.

WHITE WOODPECKER (Melanerpes candidus) – A group of four on the Jacamar excursion on the 14th.

\* YELLOW-EARED WOODPECKER (Veniliornis maculifrons) – Up to two daily on three dates.

\* TAIL-BANDED HORNERO (Furnarius figulus) – Several on the Jacamar excursion on the 14<sup>th</sup> and two at the wetland reserve on the 12<sup>th</sup>.

RUFOUS HORNERO (Furnarius rufus) - Seen commonly in any suitable habitat.

\* RUFOUS-CAPPED SPINETAIL (Synallaxis ruficapilla) - One on the Portao Azul excursion and one on the Theodora trail.

SPIX'S SPINETAIL (Synallaxis spixi) - Singles on the Bamboo and high altitude trails..

\* PALLID SPINETAIL (Cranioleuca pallida) – Three on the Bamboo trail on the 9<sup>th</sup> and one at the Portao Azul on the 13<sup>th</sup>.

YELLOW-CHINNED SPINETAIL (Certhiaxis cinnamomea) - Three on the Jacamar excursion and three at the wetland reserve.

**COMMON THORNBIRD** (*Phacellodomus rufifrons*) – Five on the Jacamar excursion and one at the Portao Azul.

\* RED-EYED THORNBIRD (Phacellodomus erythrophthalmus) - Up to two daily on three dates.

**FIREWOOD-GATHERER** (*Anumbius annumbi*) – One on the Jacamar excursion on the 14<sup>th</sup>.

**STREAKED XENOPS** (*Xenops rutilans*) – Singles on three dates.

**PLAIN XENOPS** (*Xenops minutus*) – One at the National Park on the 10<sup>th</sup>.

\*SHARP-BILLED TREEHUNTER (*Heliobletus contaminatus*) – Two on the Bamboo trail on the 9<sup>th</sup> and one at Macae de Cima on the 13<sup>th</sup>.

BUFF-FRONTED FOLIAGE-GLEANER (Philydor rufus) – Up to five daily on three dates.

- \* BLACK-CAPPED FOLIAGE-GLEANER (Philydor atricapillus) Two at the National Park on the 10<sup>th</sup>.
- **BUFF-BROWED FOLIAGE-GLEANER** (Syndactyla rufosuperciliata) Two on the Bamboo trail on the 9<sup>th</sup>.
- \* WHITE-COLLARED FOLIAGE-GLEANER (Anabezenops leucophthalmus) Heard only, on the Bamboo trail on the 9th.
- \* WHITE-BROWED FOLIAGE-GLEANER (Anabacerthia amaurotis) Four on the Bamboo trail and one at Macae de Cima.
- \* WHITE-EYED FOLIAGE-GLEANER (*Automolus leucophthalamus*) One at the lodge on the 8<sup>th</sup> and one at the National Park on the 10<sup>th</sup>.
- SHARP-TAILED STREAMCREEPER (Lochnias nematura) The breeding pair was regularly seen at the lodge.
- OLIVACEOUS WOODCREEPER (Sittasomus griseicapillus) Recorded almost daily in suitable habitat.
- \* WHITE-THROATED WOODCREEPER (*Xiphocolaptes albicollis*) Two at the National Park on the 10<sup>th</sup> and two at the Portao Azul on the 13<sup>th</sup>.
- \* LESSER WOODCREEPER (Lepidocolaptes fuscus) Up to three daily on five dates.
- \* SCALED WOODCREEPER (*Lepidocolaptes squamatus*) Singles on the high altitude excursion on the 11<sup>th</sup> and at the Portao Azul on the 13<sup>th</sup>.
- \* TUFTED ANTSHRIKE (Mackenziaena severa) One at the wetland reserve on the 12th.
- \* LARGE-TAILED ANTSHRIKE(Mackenziaena leachii) Heard only, on the high altitude excursion on the 11th.
- RUFOUS-CAPPED ANTSHRIKE (Thamnophilus ruficapillus) Heard only, on the high altitude excursion on the 11th.
- CHESTNUT-BACKED ANTSHRIKE (Thamnophilus palliates) Four at the wetland reserve on the 12th.
- \* SOORETAMA SLATY-ANTSHRIKE (Thamnophilus ambiguous) One at the wetland reserve on the 12th.
- VARIABLE ANTSHRIKE (Thamnophilus caerulescens) Up to three daily on three dates.
- \* SPOT-BREASTED ANTVIREO (Dysithamnus stictothorax) Two at the lodge on the 7<sup>th</sup>.
- PLAIN ANTVIREO (Dysithamnus mentalis) Seen or heard on most forested excursions.
- \* **RUFOUS-BACKED ANTVIREO** (*Dysithamnus xanthopterus*) Heard on the Bamboo and Macae de Cima trails and two seen on the high altitude excursion on the 11<sup>th</sup>.
- \* STAR-THROATED ANTWREN (Myrmotherula gularis) Heard or seen on most days in forested habitat.
- WHITE-FLANKED ANTWREN (Myrmotherula axillaries) Two at the wetland reserve on the 12<sup>th</sup>.
- \* FERRUGINOUS ANTBIRD (Drymophila ferruginea) A single at the lodge on the 8th.
- \* **BERTONIS ANTBIRD** (*Drymophila rubricollis*) Three on the Bamboo trail on the 9<sup>th</sup>.
- \* RUFOUS-TAILED ANTBIRD (*Drymophila genei*) One on the high altitude excursion on the 11<sup>th</sup>.
- \* OCHRE-RUMPED ANTBIRD (Drymophila ochropyga) One on the Bamboo trail on the 9th.
- \* DUSKY-TAILED ANTBIRD (Drymophila malura) One at the Portao Azul and one on the high altitude excursion.
- \* SCALED ANTBIRD (*Drymophila squamata*) Two at the lodge on the 8<sup>th</sup>.
- \* STREAK-CAPPED ANTWREN (Terenura maculata) A single at the lodge on the 12th.
- \* WHITE-SHOULDERED FIRE-EYE (*Pyriglena leucoptera*) Two at the lodge on the 7<sup>th</sup> and two on the Bamboo trail on the 9<sup>th</sup>.

\* BRAZILIAN ANTTHRUSH (Chamaeza ruficauda) - Heard only, on the Bamboo trail and at Macae de Cima.

VARIEGATED ANTPITTA (Grallaria varia) – Heard only, on the Bamboo trail on the 9<sup>th</sup>.

\* RUFOUS GNATEATER (Conopophaga lineate) – One at the Portao Azul on the 13th.

\*BLACK-CHEEKED GNATEATER (Conopophaga melanops) - Seen or heard on most forested excursions.

\* SLATY BRISTLEFRONT (Merulaxis ater) – A single on the Bamboo trail on the 9th.

\*SERRA DO MAR TAPACULO (*Scytalopus notorious*) – Heard on several dates and one seen on the high altitude excursion on the 11<sup>th</sup>.

SWALLOW-TAILED COTINGA (*Phibalura flavirostris*) – Seven on the high altitude excursion on the 11<sup>th</sup>.

\* BLACK-AND-GOLD COTINGA (Tijuca atra) – Heard only, on the high altitude and Macae de Cima trails.

\*HOODED BERRYEATER (Carpornis cucullatus) – Two on the Bamboo trail on the 9<sup>th</sup>.

\*BARE-THROATED BELLBIRD (Procnias nudicollis) - Heard only, at the lodge and on the Bamboo trail.

WHITE-BEARDED MANAKIN (*Manacus manacus*) – Three at the wetland reserve on the 12<sup>th</sup>.

\*BLUE MANAKIN (Chiroxiphia caudata) - Recorded on all trips into the forest, giving very pleasing views on several occasions.

\*PIN-TAILED MANAKIN (*Ilicuramilitaris*) – Up to three daily on three dates.

YELLOW TYRANNULET (Capsiempis flaveola) - Two on the Jacamar excursion and two at the Portao Azul.

WHITE-CRESTED TYRANNULET (Serpophaga subcristata) - One on the Bamboo trail on the 9th.

**OLIVACEOUS ELAENIA** (*Elaenia obscura*) – One at the Portao Azul on the 13<sup>th</sup>.

YELLOW-BELLIED ELAENIA (Elaenia flavogaster) – One on the Jacamar excursion on the 14th.

\* GREY-HOODED FLYCATCHER (*Mionectes rufiventris*) – Heard on the Bamboo trail, one seen at the National Park and two on the high altitude excursion.

**SEPIA-CAPPED FLYCATCHER** (*Leptopogon amaurocephalus*) – Singles at the lodge and the Portao Azul and two at Macae de Cima.

**SOUTHERN BEARDLESS-TYRANNULET** (Camptostoma obsoletum) – One at the wetland reserve on the 12<sup>th</sup>.

**MOTTLE-CHEEKED TYRANNULET** (*Phylloscartes ventralis*) – Four on the high altitude excursion, two at the Portao Azul and two at Macae de Cima.

SERRA DO MAR TYRANNULET (Phylloscartes difficilis) – Two on the high altitude excursion on the 11th.

PLANALTO TYRANNULET (*Phyllomyias fasciatus*) – One on the high altitude excursion and one at Macae de Cima.

\*GREY-CAPPED TYRANNULET (Phyllomyias griseocapilla) - One Macae de Cima on the 13th.

**EARED PYGMY-TYRANT** (*Myiornis auricularis*) – One at the lodge on the 11<sup>th</sup>.

\*DRAB-BREASTED BAMBOO-TYRANT (Hemitriccus diops) - Heard only, on the Bamboo trail on the 9th.

OCHRE-FACED TODY-FLYCATCHER (Todirostrum plumbeiceps) – Seen or heard on most excursions.

\*YELLOW-LORED TODY-FLYCATCHER (Todirostrum poliocephalum) - Singles on four dates.

**COMMON TODY-FLYCATCHER** (*Todirostrum cinereum*) – A single at the wetland reserve on the 2<sup>nd</sup>.

**YELLOW-OLIVE FLYCATCHER** (*Tolmomyias sulphurescens*) – One of the commonest flycatchers being seen or heard almost daily.

YELLOW-BREASTED FLYCATCHER (Tolmomyias flaviventris) - A single at the wetland reserve on the 2<sup>nd</sup>.

WHITE-THROATED SPADEBILL (*Platyrinchus mystaceus*) – Seen at the lodge trails on the 7<sup>th</sup> and 8<sup>th</sup>.

**BRAN-COLOURED FLYCATCHER** (*Myiophobus fasciatus*) – One at the Portao Azul on the 13<sup>th</sup>.

CLIFF FLYCATCHER (Hirundinea ferruginea) - One at the Portao Azul and two on the high altitude excursion.

EULER'S FLYCATCHER (Lathrotriccus euleri) - Singles on the high altitude and Portao Azul excursions.

**WHITE-RUMPED MONJITA** (*Xolmis velata*) – Two on the Jacamar excursion on the 14<sup>th</sup>.

**BLUE-BILLED BLACK-TYRANT** (*Knipolegus cyanirostris*) – Two on the high altitude excursion on the 11<sup>th</sup>.

**CRESTED BLACK-TYRANT** (*Knipolegus lophotes*) – Two on the Jacamar excursion on the 14<sup>th</sup>.

MASKED WATER-TYRANT (Fluvicola nengeta) – Recorded daily at the lodge and on several of the excursions.

WHITE-HEADED MARSH-TYRANT (Arundicola leucocephala) – Up to three daily on three dates.

STREAMER-TAILED TYRANT (Gubernetes yetapa) – Seven were seen on the Jacamar excursion on the 14<sup>th</sup>.

LONG-TAILED TYRANT (Colonia colonus) - Up to two daily on three dates.

**CATTLE TYRANT** (*Machetornis rixosus*) – One or twos on three dates.

\*SHEAR-TAILED GREY TYRANT (Muscipipra vetula) - Two on the high altitude excursion on the 11th.

\*GREY-HOODED ATTILA (Attila rufus) – One at the Portao Azul on the 13<sup>th</sup> and one at the lodge on the 12<sup>th</sup>.

**GREAT KISKADEE** (*Pitangus sulphuratus*) – Recorded daily from any suitable habitat.

**BOAT-BILLED FLYCATCHER** (*Megarhyncus pitangua*) – One at the Portao Azul on the 13<sup>th</sup> and one at the lodge on the 12<sup>th</sup>.

SOCIAL FLYCATCHER (Myiozetetes similis) – Recorded almost daily from any suitable habitat.

STREAKED FLYCATCHER (Myiodynastes maculates) – Recorded almost daily at the lodge and on several of the excursions.

VARIEGATED FLYCATCHER (Empidonomus varius) – Three on the high altitude excursion on the 11<sup>th</sup>.

**SHORT-CRESTED FLYCATHCHER** (*Myiarchus ferox*) – Two at the wetland reserve on the  $12^{th}$  and one on the Jacamar excursion on the  $14^{th}$ .

**SWAINSON'S FLYCATCHER** (*Myiarchus swainsoni*) – One on the high altitude excursion on the 11<sup>th</sup> and one at the Portao Azul on the 13<sup>th</sup>.

TROPICAL KINGBIRD (Tyrannus melancholicus) - Recorded daily from any suitable habitat.

FORK-TAILED FLYCATCHER (Tyrannus savana) – Two on the drive to the National Park and one at the wetland reserve.

**BLACK-TAILED TITYRA** (*Tityra cayana*) – Two at the National Park on the 10<sup>th</sup>.

\*GREENISH SCHIFFORNIS (Schiffornis virescens) – One on the Bamboo trail on the 9<sup>th</sup>.

CHESTNUT-CROWNED BECARD (Pachyramphus castaneus) - Up to two daily on three dates.

WHITE-WINGED BECARD (Pachyramphus polychopterus) – One on the Bamboo trail and one at Macae de Cima.

**CRESTED BECARD** (*Pachyramphus validus*) – One at the lodge on the 8<sup>th</sup> and one at the National Park on the 10<sup>th</sup>.

**SHARPBILL** (*Oxyruncus cristatus*) – Heard only, on the Bamboo trail on the 9<sup>th</sup>.

**GREY-BREASTED MARTIN** (*Progne chalybea*) – Three on the Jacamar excursion on the 14<sup>th</sup>.

BLUE-AND-WHITE SWALLOW (Pygochelidon cyanoleuca) - Recorded daily from suitable habitats.

SOUTHERN ROUGH-WINGED SWALLOW (Stelgidopteryx ruficollis) – Recorded almost daily from suitable habitats.

BLACK-CAPPED DONACOBIUS (Donacobius atricapillus) - One at the wetland reserve and one on the Jacamar excursion.

\*LONG-BILLED WREN (Thryothorus longirostris) – One at the wetland reserve on the 12<sup>th</sup>.

**HOUSE WREN** (*Troglodytes aedon*) – Recorded daily from any suitable habitat.

CHALK-BROWED MOCKINGBIRD (Mimus saturninus) - Common in any open scrubland habitat.

YELLOW-LEGGED THRUSH (*Platycichla flavipes*) – One on the Bamboo trail on the 9<sup>th</sup>.

RUFOUS-BELLIED THRUSH (Turdus rufiventris) - Recorded daily from any suitable habitat.

PALE-BREASTED THRUSH (Turdus leucomelas) – Recorded most days at the lodge and on several of the excursions.

**COMMON WAXBILL** (*Estrilda astrild*) – Up to ten daily on three dates.

**RED-EYED VIREO** (*Vireo olivaceus*) – Heard only, at the lodge on the 8<sup>th</sup>.

**LEMON-CHESTED GREENLET** (*Hylophilus thoracicus*) – One at the wetland reserve on the 12<sup>th</sup>.

RUFOUS-CROWNED GREENLET (Hylophilus poecilotis) – Up to ten daily on three dates.

RUFOUS-BROWED PEPPERSHRIKE (Cyclarhis gujanensis) - Recorded almost daily from suitable forest habitat.

**TROPICAL PARULA** (*Parula pitiayumi*) – One at the lodge on the 7<sup>th</sup>.

GOLDEN-CROWNED WARBLER (Basileuterus culicivorus) – Recorded almost daily from any suitable forested habitat.

\*WHITE-RIMMED WARBLER (*Basileuterus leucoblepharus*) – Heard on most forested excursions and two seen on the Bamboo trail and one on the high altitude excursion.

BANANAQUIT (Coereba flaveola) – Recorded daily from many locations.

**CHESTNUT-VENTED CONEBILL** (*Conirostrum speciosum*) – Two at the wetland reserve on the 12<sup>th</sup> and two at the National Park on the 10<sup>th</sup>.

CINNAMON TANAGER (Schistochlamys ruficapillus) – Two on the high altitude excursion on the 11th.

\*CHESTNUT-HEADED TANAGER (*Pyrrhocoma ruficeps*) – A single on the high altitude excursion on the 11<sup>th</sup>.

\*OLIVE-GREEN TANAGER (Orthogonys chloricterus) - Ten on the Cedae trail on the 7th.

**FLAME-CRESTED TANAGER** (*Tachyphonus cristatus*) – Two at the lodge on the 8<sup>th</sup> and one at the National Park on the 10<sup>th</sup>.

\*RUBY-CROWNED TANAGER (*Tachyphonus coronatus*) – Recorded almost daily in the lodge grounds and other locations.

BLACK-GOGGLED TANAGER (Trichothraupis melanops) - Recorded almost daily in small numbers in suitable forest habitat.

RED-CROWNED ANT-TANAGER (Habia rubica) – Recorded on several dates at the lodge.

\*BRAZILIAN TANAGER (Ramphocelus bresilius) - Recorded daily within the grounds of the lodge.

SAYACA TANAGER (*Thraupis sayaca*) – Recorded daily in the grounds of the lodge and various other locations.

\*GOLDEN-CHEVRONED TANAGER (Thraupis ornata) - Recorded daily from any forested habitat and at the lodge garden.

PALM TANAGER (Thraupis palmarum) - Recorded almost daily within the grounds of the lodge.

VIOLACEOUS EUPHONIA (Euphonia violacea) – Commonly recorded from the feeders at the lodge.

ORANGE-BELLIED EUPHONIA (Euphonia. xanthogaster) - Commonly recorded on the feeders at the lodge.

\*CHESTNUT-BELLIED EUPHONIA (Euphonia pectoralis) - Commonly recorded on the feeders at the lodge.

\*GREEN-HEADED TANAGER (*Tangara seledon*) – Recorded everyday from the feeders by the lodge and in suitable lowland forest habitats.

\*RED-NECKED TANAGER (*Tangara cyanocephala*) – Recorded regularly within the grounds of the lodge and in suitable lowland forest habitats.

\*BRASSY-BREASTED TANAGER (Tangara desmaresti) – Up to thirty daily on three dates.

\*GILT-EDGED TANAGER (Tangara cyanoventris) – Fifteen at the Portao Azul on the 13<sup>th</sup>.

**BURNISHED-BUFF TANAGER** (*Tangara cayana*) – Recorded almost daily on the feeders by the lodge and from suitable forested habitat.

**DIADEMED TANAGER** (Stephanophorus diadematus) – Two on the high altitude excursion on the 11<sup>th</sup>.

BLUE DACNIS (Dacnis cayana) – Recorded almost daily in small numbers.

GREEN HONEYCREEPER (Chlorophanes spiza) – A pair at the lodge on several dates.

**RED-LEGGED HONEYCREEPER** (Cyanerpes cyanus) – A pair at the wetland reserve on the 12<sup>th</sup>.

**SWALLOW TANAGER** (*Tersina viridis*) – At least ten at the wetland reserve on the 12<sup>th</sup>.

BLUE-BLACK GRASSQUIT (Volatinia jacarina) - Recorded in small numbers from suitable farmland habitats.

\*BAY-CHESTED WARBLING FINCH (Poospiza thoracica) - Two on the high altitude excursion on the 11th.

**DOUBLE-COLLARED SEEDEATER** (Sporophila caerulescens) – Recorded in small numbers from suitable farmland habitats.

**LINED SEEDEATER** (*Sporophila lineola*) – A single at the wetland reserve on the 12<sup>th</sup>.

\*UNIFORM FINCH (Haplospiza unicolor) – Two at the Portao Azul on the 13<sup>th</sup>.

SAFFRON FINCH (Sicalis flaveola) – Recorded daily from any suitable habitat.

\*HALF-COLLARED SPARROW (Arremon semitorquatus) – Two at the Portao Azul on the 13<sup>th</sup>.

**GRASSLAND SPARROW** (*Ammodramus humeralis*) – Two on the Jacamar excursion on the 14<sup>th</sup>.

RUFOUS-COLLARED SPARROW (Zonotrichia capensis) - Small numbers were recorded on several dates.

**BUFF-THROATED SALTATOR** (*Saltator maximus*) – A single at the lodge on the 9<sup>th</sup>.

**GREEN-WINGED SALTATOR** (*Saltator similis*) – One on the high altitude excursion on the 11<sup>th</sup>.

\*THICK-BILLED SALTATOR (Saltator maxillosus) – One on the high altitude excursion on the 11<sup>th</sup>.

\*BLACK-THROATED GROSBEAK (Pitylus fuliginosus) - A flock of four at the lodge on the 8<sup>th</sup> and again on the 10<sup>th</sup>.

YELLOW-GREEN GROSBEAK (Caryothraustes Canadensis) – A flock of nine at the National Park on the 10<sup>th</sup>.

ULTRAMARINE GROSBEAK (Cyanocompsa brissonii) - Heard only, at the Portao Azul on the 13th.

WHITE-BROWED BLACKBIRD (Sturnella superciliaris) – Ones or twos on three dates.

CHESTNUT-CAPPED BLACKBIRD (Agelaius ruficapillus) – Up to twenty daily on three dates.

SHINY COWBIRD (Molothrus bonariensis) – Small numbers were recorded on several dates from a variety of habitats.

**GIANT COWBIRD** (*Molothrus oryzivora*) – A single on the Jacamar excursion on the 14<sup>th</sup>.

**CRESTED OROPENDOLA** (*Psarocolius decumanus*) – Small numbers at the lodge on the 26<sup>th</sup> and the 1<sup>st</sup>.

**RED-RUMPED CACIQUE** (*Cacicus haemorrhous*) – A single at the wetland reserve on the 2<sup>nd</sup>.

**HOODED SISKIN** (*Carduelis magellanica*) – Up to six daily on three dates.

HOUSE SPARROW (Passer domesticus) – Some were seen.

Appendix; Most popular birds seen by the group.

BLOND-CRESTED WOODPECKER	4 VOTES	6 POINTS
SWALLOW-TAILED COTINGA	2 VOTES	5 POINTS
BLACK JACOBIN	1 VOTE	3 POINTS
PLOVERCREST	1 VOTE	3 POINTS
SPOT-BILLED TOUCANET	1 VOTE	3 POINTS
CAMPO FLICKER	1 VOTE	3 POINTS
WHITE WOODPECKER	1 VOTE	2 POINTS
STREAMER-TAILED TYRANT	1 VOTE	2 POINTS
WHITE-BARRED PICULET	1 VOTE	1 POINT
HOODED BERRYEATER	1 VOTE	1 POINT
BRAZILIAN TANAGER	1 VOTE	1 POINT