

# Birdfinders' South Africa 2018

| English Name                  | Scientific Name                 |                                         |
|-------------------------------|---------------------------------|-----------------------------------------|
| Common Ostrich                | <i>Struthio camelus</i>         | Seen well in the Polokwane Game Reserve |
| White-faced Whistling Duck    | <i>Dendrocygna viduata</i>      | Widespread                              |
| White-backed Duck             | <i>Thalassornis leuconotus</i>  | Seen near Eshowe                        |
| Spur-winged Goose             | <i>Plectropterus gambensis</i>  | Common throughout                       |
| Knob-billed Duck              | <i>Sarkidiornis melanotos</i>   | Seen in Mkhuze & Kruger                 |
| Egyptian Goose                | <i>Alopochen aegyptiaca</i>     | Seen every day                          |
| <b>South African Shelduck</b> | <b><i>Tadorna cana</i></b>      | Common around Wakkerstroom              |
| African Pygmy Goose           | <i>Nettapus auritus</i>         | Seen near Eshowe                        |
| Yellow-billed Duck            | <i>Anas undulata</i>            | Seen regularly                          |
| Cape Shoveler                 | <i>Anas smithii</i>             | Seen around Wakkerstroom                |
| Red-billed Teal               | <i>Anas erythrorhyncha</i>      | Seen at a few wetlands                  |
| Hottentot Teal                | <i>Anas hottentota</i>          | Seen in various localities              |
| Southern Pochard              | <i>Netta erythrophthalma</i>    | Seen around Wakkerstroom                |
| Maccoa Duck                   | <i>Oxyura maccoa</i>            | Seen at Fickland Pan - Wakkerstroom     |
| Helmeted Guineafowl           | <i>Numida meleagris</i>         | Common throughout                       |
| Crested Guineafowl            | <i>Guttera pucherani</i>        | Seen in St Lucia & Mkhuze               |
| Red-winged Francolin          | <i>Scleroptila levaillantii</i> | Seen well near Wakkerstroom             |
| Shelley's Francolin           | <i>Scleroptila shelleyi</i>     | Seen once in the Polokwane Game Reserve |
| Crested Francolin             | <i>Dendroperdix sephaena</i>    | Seen in Kruger & Polokwane              |
| Natal Spurfowl                | <i>Pternistis natalensis</i>    | Seen well in Kruger                     |
| Red-necked Spurfowl           | <i>Pternistis afer</i>          | Heard near Bulwer                       |
| Swainson's Spurfowl           | <i>Pternistis swainsonii</i>    | Common in Kruger                        |
| Common Quail                  | <i>Coturnix coturnix</i>        | Heard around Wakkerstroom               |
| Little Grebe                  | <i>Tachybaptus ruficollis</i>   | Seen in various localities              |
| Yellow-billed Stork           | <i>Mycteria ibis</i>            | Seen in various localities              |
| African Openbill              | <i>Anastomus lamelligerus</i>   | Seen in Mkhuze & KNP                    |
| Black Stork                   | <i>Ciconia nigra</i>            | Seen in the Drakensberg                 |
| Woolly-necked Stork           | <i>Ciconia episcopus</i>        | Seen in various localities              |

|                           |                                      |                                        |
|---------------------------|--------------------------------------|----------------------------------------|
| White Stork               | <i>Ciconia ciconia</i>               | Large numbers throughout               |
| Saddle-billed Stork       | <i>Ephippiorhynchus senegalensis</i> | Seen well in St Lucia & Kruger         |
| Marabou Stork             | <i>Leptoptilos crumenifer</i>        | Seen in the KNP and Polokwane          |
| African Sacred Ibis       | <i>Threskiornis aethiopicus</i>      | Common throughout                      |
| <b>Southern Bald Ibis</b> | <b><i>Geronticus calvus</i></b>      | Good numbers around Wakkerstroom       |
| Hadada Ibis               | <i>Bostrychia hagedash</i>           | Seen every day on tour                 |
| Glossy Ibis               | <i>Plegadis falcinellus</i>          | Seen in Mkhuze & Wakkerstroom          |
| African Spoonbill         | <i>Platalea alba</i>                 | Commonly seen throughout               |
| Black-crowned Night Heron | <i>Nycticorax nycticorax</i>         | Seen in Wakkerstroom                   |
| Striated Heron            | <i>Butorides striata</i>             | Seen in Kruger & Tzaneen               |
| Squacco Heron             | <i>Ardeola ralloides</i>             | Seen in various locations              |
| Western Cattle Egret      | <i>Bubulcus ibis</i>                 | Seen on most days                      |
| Grey Heron                | <i>Ardea cinerea</i>                 | Common around water, seen on most days |
| Black-headed Heron        | <i>Ardea melanocephala</i>           | Widespread, seen on most days          |
| Goliath Heron             | <i>Ardea goliath</i>                 | Seen in Mkhuze & Kruger                |
| Purple Heron              | <i>Ardea purpurea</i>                | Seen in Wakkerstroom                   |
| Great Egret               | <i>Ardea alba</i>                    | Seen in Mkhuze & KNP                   |
| Intermediate Egret        | <i>Ardea intermedia</i>              | Seen in Mkhuze                         |
| Little Egret              | <i>Egretta garzetta</i>              | Several sightings                      |
| Hamerkop                  | <i>Scopus umbretta</i>               | Several sightings                      |
| Great White Pelican       | <i>Pelecanus onocrotalus</i>         | Seen at Nsumo pan, Mkhuze              |
| Pink-backed Pelican       | <i>Pelecanus rufescens</i>           | Seen at St Lucia & in Kruger           |
| <b>Cape Gannet</b>        | <b><i>Morus capensis</i></b>         | Seen offshore near Scottburgh          |
| Reed Cormorant            | <i>Microcarbo africanus</i>          | Regularly seen                         |
| White-breasted Cormorant  | <i>Phalacrocorax lucidus</i>         | Scattered sightings                    |
| African Darter            | <i>Anhinga rufa</i>                  | Scattered sightings                    |
| Secretarybird             | <i>Sagittarius serpentarius</i>      | Seen in the KNP                        |
| Black-winged Kite         | <i>Elanus caeruleus</i>              | Very common                            |
| African Harrier-Hawk      | <i>Polyboroides typus</i>            | one seen on Sani Pass                  |
| Bearded Vulture           | <i>Gypaetus barbatus</i>             | A soaring bird seen in Lesotho         |
| Hooded Vulture            | <i>Necrosyrtes monachus</i>          |                                        |

|                             |                                 |                                         |
|-----------------------------|---------------------------------|-----------------------------------------|
| White-backed Vulture        | <i>Gyps africanus</i>           | Common in Kruger                        |
| <b>Cape Vulture</b>         | <b><i>Gyps coprotheres</i></b>  | Seen around Sani Pass and Polokwane     |
| White-headed Vulture        | <i>Trigonoceps occipitalis</i>  | Great views in Kruger                   |
| Lappet-faced Vulture        | <i>Torgos tracheliotos</i>      |                                         |
| Black-chested Snake Eagle   | <i>Circaetus pectoralis</i>     | Seen in Wakkerstroom & Kruger           |
| Brown Snake Eagle           | <i>Circaetus cinereus</i>       | A few seen in Kruger and elsewhere      |
| Southern Banded Snake Eagle | <i>Circaetus fasciolatus</i>    |                                         |
| Bateleur                    | <i>Terathopius ecaudatus</i>    | Seen in Kruger and Mkhuze               |
| Bat Hawk                    | <i>Macheiramphus alcinus</i>    | Great views of a pair near Tzaneen      |
| Crowned Eagle               | <i>Stephanoaetus coronatus</i>  | Seen in Mkhuze                          |
| Long-crested Eagle          | <i>Lophaetus occipitalis</i>    | Many sightings                          |
| <i>Lesser Spotted Eagle</i> | <i>Clanga pomarina</i>          |                                         |
| Wahlberg's Eagle            | <i>Hieraaetus wahlbergi</i>     | Several sightings in KNP                |
| Ayres's Hawk-Eagle          | <i>Hieraaetus ayresii</i>       |                                         |
| Tawny Eagle                 | <i>Aquila rapax</i>             | Seen in Kruger                          |
| <i>Steppe Eagle</i>         | <i>Aquila nipalensis</i>        | <i>Seen in Kruger</i>                   |
| Verreaux's Eagle            | <i>Aquila verreauxii</i>        |                                         |
| African Hawk-Eagle          | <i>Aquila spilogaster</i>       |                                         |
| Lizard Buzzard              | <i>Kaupifalco monogrammicus</i> | Good sighting in Tzaneen                |
| Dark Chanting Goshawk       | <i>Melierax metabates</i>       |                                         |
| African Goshawk             | <i>Accipiter tachiro</i>        |                                         |
| Shikra                      | <i>Accipiter badius</i>         |                                         |
| Black Sparrowhawk           | <i>Accipiter melanoleucus</i>   | Seen in Wakkerstroom                    |
| African Marsh Harrier       | <i>Circus ranivorus</i>         | Several sightings                       |
| <i>Pallid Harrier</i>       | <i>Circus macrourus</i>         | <i>Seen well in Kruger</i>              |
| <i>Montagu's Harrier</i>    | <i>Circus pygargus</i>          | <i>Seen in Wakkerstroom and Kruger</i>  |
| Yellow-billed Kite          | <i>Milvus aegyptius</i>         | Commonly seen                           |
| African Fish Eagle          | <i>Haliaeetus vocifer</i>       | Seen well in Kruger                     |
| <i>[Steppe Buzzard]</i>     | <i>Buteo [buteo] vulpinus</i>   | Commonly seen throughout                |
| <b>Forest Buzzard</b>       | <b><i>Buteo trizonatus</i></b>  | Single bird seen near Sani Pass         |
| <b>Jackal Buzzard</b>       | <b><i>Buteo rufofuscus</i></b>  | Seen well near Underberg & Wakkerstroom |

|                             |                                      |                                            |
|-----------------------------|--------------------------------------|--------------------------------------------|
| Kori Bustard                | <i>Ardeotis kori</i>                 | Seen in Kruger                             |
| Denham's Bustard            | <i>Neotis denhami</i>                | Seen well near Wakkerstroom                |
| White-bellied Bustard       | <i>Eupodotis senegalensis</i>        | Seen near Dirkiesdorp east of Wakkerstroom |
| <b>Blue Korhaan</b>         | <b><i>Eupodotis caerulescens</i></b> | Seen north of near Wakkerstroom            |
| Red-crested Korhaan         | <i>Lophotis ruficrista</i>           | Seen well in Kruger                        |
| Northern Black Korhaan      | <i>Afrotis afraoides</i>             | Viewsof a displaying bird in Polokwane     |
| Black-bellied Bustard       | <i>Lissotis melanogaster</i>         | Seen well in Mkhuze                        |
| Buff-spotted Flufftail      | <i>Sarothrura elegans</i>            |                                            |
| Striped Flufftail           | <i>Sarothrura affinis</i>            | Brief views of a bird on Sani Pass         |
| Black Crake                 | <i>Amaurornis flavirostra</i>        | Seen well in Bonamanzi & Kruger            |
| African Swamphen            | <i>Porphyrio madagascariensis</i>    | Several sightings                          |
| Common Moorhen              | <i>Gallinula chloropus</i>           | Widespread                                 |
| Red-knobbed Coot            | <i>Fulica cristata</i>               | Seen on the majority of days               |
| Grey Crowned Crane          | <i>Baelearica regulorum</i>          | Seen around Underberg and Wakkerstroom     |
| <b>Blue Crane</b>           | <b><i>Grus paradisea</i></b>         | Seen well near Wakkerstroom                |
| Wattled Crane               | <i>Grus carunculata</i>              | A pair seen near Underberg                 |
| Common Buttonquail          | <i>Turnix sylvaticus</i>             | One flushed in Mkhuze                      |
| Water Thick-knee            | <i>Burhinus vermiculatus</i>         | Seen very well on several occasions        |
| Spotted Thick-knee          | <i>Burhinus capensis</i>             | Seen near Wakkerstroom                     |
| Black-winged Stilt          | <i>Himantopus himantopus</i>         | Common and widespread throughout           |
| Pied Avocet                 | <i>Recurvirostra avosetta</i>        | Seen in Mkhuze                             |
| Blacksmith Lapwing          | <i>Vanellus armatus</i>              | Seen nearly every day                      |
| Senegal Lapwing             | <i>Vanellus lugubris</i>             | Excellent views in Kruger                  |
| Black-winged Lapwing        | <i>Vanellus melanopterus</i>         | Good views near Wakkerstroom               |
| Crowned Lapwing             | <i>Vanellus coronatus</i>            | Commonly seen                              |
| African Wattled Lapwing     | <i>Vanellus senegallus</i>           | Common around Wakkerstroom                 |
| <i>Grey Plover</i>          | <i>Pluvialis squatarola</i>          |                                            |
| <i>Common Ringed Plover</i> | <i>Charadrius hiaticula</i>          | <i>Seen at St Lucia estuary</i>            |
| Kittlitz's Plover           | <i>Charadrius pecuarius</i>          | Seen near St Lucia estuary                 |
| Three-banded Plover         | <i>Charadrius tricollaris</i>        | <i>Common in Zululand and Kruger</i>       |
| White-fronted Plover        | <i>Charadrius marginatus</i>         | Seen near St Lucia estuary                 |

|                                |                                      |                                                   |
|--------------------------------|--------------------------------------|---------------------------------------------------|
| African Jacana                 | <i>Actophilornis africanus</i>       | Several sightings                                 |
| African Snipe                  | <i>Gallinago nigripennis</i>         | Seen at the Wakkerstroom wetland                  |
| <i>Whimbrel</i>                | <i>Numerius phaeopus</i>             | <i>Seen at St Lucia</i>                           |
| <i>Common Greenshank</i>       | <i>Tringa nebularia</i>              | <i>Several seen</i>                               |
| <i>Wood Sandpiper</i>          | <i>Tringa glareola</i>               | <i>Commonly encountered</i>                       |
| <i>Common Sandpiper</i>        | <i>Actitis hypoleucos</i>            | <i>Several sightings</i>                          |
| <i>Sanderling</i>              | <i>Calidris alba</i>                 |                                                   |
| <i>Little Stint</i>            | <i>Calidris minuta</i>               | <i>Seen at St Lucia estuary</i>                   |
| <i>Curlew Sandpiper</i>        | <i>Calidris ferruginea</i>           | <i>A few birds seen at St Lucia estuary</i>       |
| <i>Ruff</i>                    | <i>Philomachus pugnax</i>            | <i>Seen at a few localities</i>                   |
| Bronze-winged Courser          | <i>Rhinoptilus chalcopterus</i>      |                                                   |
| Collared Pratincole            | <i>Glareola pratincola</i>           | Seen in Bonamanzi                                 |
| <i>Black-winged Pratincole</i> | <i>Glareola nordmanni</i>            | <i>A large flock seen near Ermelo</i>             |
| Grey-headed Gull               | <i>Chroicocephalus cirrocephalus</i> | Seen along the coastal areas of Natal             |
| Caspian Tern                   | <i>Hydroprogne caspia</i>            |                                                   |
| Greater Crested Tern           | <i>Thalasseus bergii</i>             | Several seen around St Lucia                      |
| Lesser Crested Tern            | <i>Thalasseus bengalensis</i>        | A single bird at a tern roost at St Lucia estuary |
| <i>Sandwich Tern</i>           | <i>Thalasseus sandvicensis</i>       | Seen at a tern roost at St Lucia estuary          |
| <i>Little Tern</i>             | <i>Sternula albifrons</i>            | Several seen around St Lucia                      |
| <i>Common Tern</i>             | <i>Sterna hirundo</i>                | <i>Seen at a tern roost in St Lucia estuary</i>   |
| <i>Whiskered Tern</i>          | <i>Chlidonias hybrida</i>            | <i>Breeding birds near Wakkerstroom</i>           |
| <i>White-winged Tern</i>       | <i>Chlidonias leucopterus</i>        |                                                   |
| Rock Dove                      | <i>Columba livia</i>                 | Abundant in towns and cities                      |
| Speckled Pigeon                | <i>Columba guinea</i>                | Seen on most days                                 |
| African Olive Pigeon           | <i>Columba arquatrix</i>             | Seen at Bulwer and Magoebaskloof                  |
| Eastern Bronze-naped Pigeon    | <i>Columba delegorguei</i>           | Seen at Dlinza Forest                             |
| Lemon Dove                     | <i>Columba larvata</i>               |                                                   |
| Mourning Collared Dove         | <i>Streptopelia decipiens</i>        | Seen in Satara camp in Kruger                     |
| Red-eyed Dove                  | <i>Streptopelia semitorquata</i>     | Seen almost every day                             |
| Ring-necked Dove               | <i>Streptopelia capicola</i>         | Seen & heard every day                            |
| Laughing Dove                  | <i>Spilopelia senegalensis</i>       | Common throughout                                 |

|                           |                                 |                                          |
|---------------------------|---------------------------------|------------------------------------------|
| Emerald-spotted Wood Dove | <i>Turtur chalcospilos</i>      | Several good sightings                   |
| Tambourine Dove           | <i>Turtur tympanistria</i>      | Seen at Oribi Gorge                      |
| Namaqua Dove              | <i>Oena capensis</i>            | Seen well in Mkhuze                      |
| African Green Pigeon      | <i>Treron calvus</i>            | Seen in several localities in the east   |
| Livingstone's Turaco      | <i>Tauraco livingstonii</i>     | Seen well at St Lucia                    |
| <b>Knysna Turaco</b>      | <b><i>Tauraco corythaix</i></b> | <b>Seen well in Oribi Gorge</b>          |
| Purple-crested Turaco     | <i>Tauraco porphyreolophus</i>  | Seen often                               |
| Grey Go-away-bird         | <i>Corythaixoides concolor</i>  | Common in Kruger & Polokwane             |
| Burchell's Coucal         | <i>Centropus burchellii</i>     | Seen several times                       |
| Green Malkoha             | <i>Ceuthmochares australis</i>  | Heard in St Lucia                        |
| Jacobin Cuckoo            | <i>Clamator jacobinus</i>       | Seen in Kruger and Polokwane             |
| Diederik Cuckoo           | <i>Chrysococcyx caprius</i>     | Seen throughout                          |
| Klaas's Cuckoo            | <i>Chrysococcyx klaas</i>       | Good looks at this cuckoo in Mkhuze      |
| African Emerald Cuckoo    | <i>Chrysococcyx cupreus</i>     | Seen well at Bonamanzi                   |
| Black Cuckoo              | <i>Cuculus clamosus</i>         | Seen at the Marutswa Forest              |
| Red-chested Cuckoo        | <i>Cuculus solitarius</i>       | Seen well in Polokwane                   |
| <i>Lesser Cuckoo</i>      | <i>Cuculus poliocephalus</i>    |                                          |
| <i>Common Cuckoo</i>      | <i>Cuculus canorus</i>          | <i>Seen in Polokwane Game Reserve</i>    |
| Western Barn Owl          | <i>Tyto alba</i>                | A roosting bird seen in Lower Sabie, KNP |
| Verreaux's Eagle-Owl      | <i>Bubo lacteus</i>             | Seen well in Kruger                      |
| African Wood Owl          | <i>Strix woodfordii</i>         | Heard in Magoebaskloof                   |
| Pearl-spotted Owlet       | <i>Glaucidium perlatus</i>      | Seen in Kruger                           |
| Marsh Owl                 | <i>Asio capensis</i>            | Seen well on night drive in Kruger       |
| <i>European Nightjar</i>  | <i>Caprimulgus europaeus</i>    | Seen well on night drive in Kruger       |
| Fiery-necked Nightjar     | <i>Caprimulgus pectoralis</i>   | Seen briefly in Bonamanzi                |
| Square-tailed Nightjar    | <i>Caprimulgus fossii</i>       | Seen well on night drive in Kruger       |
| African Palm Swift        | <i>Cypsiurus parvus</i>         | Common throughout                        |
| Alpine Swift              | <i>Tachymarptis melba</i>       | Scattered sightings throughout           |
| <i>Common Swift</i>       | <i>Apus apus</i>                | <i>Seen on several occasions</i>         |
| African Black Swift       | <i>Apus barbatus</i>            | Seen around Howick and Sani Pass         |
| Little Swift              | <i>Apus affinis</i>             | Very common throughout                   |

|                                 |                                  |                                              |
|---------------------------------|----------------------------------|----------------------------------------------|
| Horus Swift                     | <i>Apus horus</i>                | Seen on Sani Pass                            |
| White-rumped Swift              | <i>Apus caffer</i>               | Common throughout                            |
| Speckled Mousebird              | <i>Colius striatus</i>           | Often seen                                   |
| Red-faced Mousebird             | <i>Urocolius indicus</i>         | Scattered sightings                          |
| Narina Trogon                   | <i>Apaloderma narina</i>         | Excellent views at St Lucia                  |
| Purple Roller                   | <i>Coracias naevius</i>          | Seen in Kruger                               |
| Lilac-breasted Roller           | <i>Coracias caudatus</i>         | Common in Kruger                             |
| <i>European Roller</i>          | <i>Coracias garrulus</i>         | <i>Very common in Kruger</i>                 |
| Broad-billed Roller             | <i>Eurystomus glaucurus</i>      | Great views near Tzaneen                     |
| Brown-hooded Kingfisher         | <i>Halcyon albiventris</i>       | Frequently seen                              |
| Striped Kingfisher              | <i>Halcyon chelicuti</i>         | Seen in Kruger                               |
| Woodland Kingfisher             | <i>Halcyon senegalensis</i>      | Seen and heard daily in Kruger               |
| Malachite Kingfisher            | <i>Corythornis cristatus</i>     | Seen on a few occasions                      |
| Giant Kingfisher                | <i>Megaceryle maxima</i>         | Seen in Bonamanzi and Wakkerstroom           |
| Pied Kingfisher                 | <i>Ceryle rudis</i>              | Frequent sightings                           |
| Little Bee-eater                | <i>Merops pusillus</i>           | Several sightings                            |
| White-fronted Bee-eater         | <i>Merops bullockoides</i>       | Seen in Kruger and Polokwane                 |
| <i>Blue-cheeked Bee-eater</i>   | <i>Merops persicus</i>           | <i>Seen well in St Lucia</i>                 |
| <i>European Bee-eater</i>       | <i>Merops apiaster</i>           | <i>Seen throughout the tour</i>              |
| Southern Carmine Bee-eater      | <i>Merops nubicoides</i>         | Seen well in Kruger                          |
| African Hoopoe                  | <i>Upupa africana</i>            | Several sightings                            |
| Green Wood Hoopoe               | <i>Phoeniculus purpureus</i>     | Seen several times                           |
| Common Scimitarbill             | <i>Rhinopomastus cyanomelas</i>  | Seen well around Mkuze and Polokwane         |
| Southern Ground Hornbill        | <i>Bucorvus leadbeateri</i>      | Seen well in KNP                             |
| Southern Red-billed Hornbill    | <i>Tockus rufirostris</i>        | Common in Kruger                             |
| Southern Yellow-billed Hornbill | <i>Tockus leucomelas</i>         | Common in Kruger                             |
| Crowned Hornbill                | <i>Lophoceros alboterminatus</i> | Seen in Oribi Gorge and St Lucia             |
| African Grey Hornbill           | <i>Lophoceros nasutus</i>        | Seen in Kruger                               |
| Trumpeter Hornbill              | <i>Bycanistes bucinator</i>      | Good sightings at Eshowe, St Lucia and Mkuze |
| White-eared Barbet              | <i>Stactolaema leucotis</i>      | Seen well in KwaZulu-Natal                   |
| Yellow-rumped Tinkerbird        | <i>Pogoniulus bilineatus</i>     | Seen at Oribi Gorge & St Lucia               |

|                            |                                     |                                                  |
|----------------------------|-------------------------------------|--------------------------------------------------|
| Red-fronted Tinkerbird     | <i>Pogoniulus pusillus</i>          | Seen at Oribi Gorge                              |
| Yellow-fronted Tinkerbird  | <i>Pogoniulus chrysoconus</i>       | Heard only near Tzaneen                          |
| Acacia Pied Barbet         | <i>Tricholaema leucomelas</i>       | Seen in Kruger and Polokwane                     |
| Black-collared Barbet      | <i>Lybius torquatus</i>             | Seen almost daily                                |
| Crested Barbet             | <i>Trachyphonus vaillantii</i>      | Seen several times                               |
| Brown-backed Honeybird     | <i>Prodotiscus regulus</i>          | Seen well in Polokwane                           |
| Lesser Honeyguide          | <i>Indicator minor</i>              | Seen well in Polokwane                           |
| Greater Honeyguide         | <i>Indicator indicator</i>          | Seen well near Underberg                         |
| Red-throated Wryneck       | <i>Jynx ruficollis</i>              | Seen below the Sani Pass & in Wakkerstroom       |
| Golden-tailed Woodpecker   | <i>Campethera abingoni</i>          | Seen on several occasions                        |
| <b>Knysna Woodpecker</b>   | <b><i>Campethera notata</i></b>     | <b>Seen well at Oribi Gorge</b>                  |
| <b>Ground Woodpecker</b>   | <b><i>Geocolaptes olivaceus</i></b> | <b>Seen well on Sani Pass &amp; Wakkerstroom</b> |
| Bearded Woodpecker         | <i>Chloropicus namaquus</i>         | Good sightings in Kruger                         |
| Cardinal Woodpecker        | <i>Dendropicos fuscescens</i>       | Seen several times throughout                    |
| Olive Woodpecker           | <i>Dendropicos griseocephalus</i>   | Seen in Bulwer & Magoebaskloof                   |
| <i>Lesser Kestrel</i>      | <i>Falco naumanni</i>               | Seen near Wakkerstroom                           |
| Rock Kestrel               | <i>Falco rupicolus</i>              | Seen up Sani Pass                                |
| Greater Kestrel            | <i>Falco rupicoloides</i>           | One seen near Wakkerstroom                       |
| Red-footed Falcon          | <i>Falco vespertinus</i>            | A single bird seen near Franklin Marsh           |
| Amur Falcon                | <i>Falco amurensis</i>              | Hundreds seen around Wakkerstroom                |
| Lanner Falcon              | <i>Falco biarmicus</i>              | Seen in Kruger                                   |
| Peregrine Falcon           | <i>Falco peregrinus</i>             |                                                  |
| <b>Cape Parrot</b>         | <b><i>Poicephalus robustus</i></b>  | <b>Seen in the Woodbush Forest</b>               |
| Brown-headed Parrot        | <i>Poicephalus cryptoxanthus</i>    | Seen in Orpen Camp, KNP                          |
| African Broadbill          | <i>Smithornis capensis</i>          |                                                  |
| <b>Cape Batis</b>          | <b><i>Batis capensis</i></b>        | <b>Seen on several occasions</b>                 |
| Woodward's Batis           | <i>Batis fratrum</i>                | Seen well in the St Lucia forests                |
| Chinspot Batis             | <i>Batis molitor</i>                | Seen on several occasions                        |
| White-crested Helmetshrike | <i>Prionops plumatus</i>            |                                                  |
| Retz's Helmetshrike        | <i>Prionops retzii</i>              | A flock seen in Mkhuze                           |
| Grey-headed Bushshrike     | <i>Malaconotus blanchoti</i>        | Seen in Orpen Camp, KNP                          |

|                                 |                                       |                                                 |
|---------------------------------|---------------------------------------|-------------------------------------------------|
| Black-fronted Bushshrike        | <i>Chlorophoneus nigrifrons</i>       | Seen in Woodbush Forest                         |
| <b>Olive Bushshrike</b>         | <b><i>Chlorophoneus olivaceus</i></b> | <b>Seen well in Magoebaskloof</b>               |
| Orange-breasted Bushshrike      | <i>Chlorophoneus sulfureopectus</i>   | Heard in Kruger                                 |
| Gorgeous Bushshrike             | <i>Telophorus viridis</i>             | Seen in Mkhuze                                  |
| <b>Bokmakierie</b>              | <b><i>Telophorus zeylonus</i></b>     | <b>Seen well in Underberg and Wakkerstroom</b>  |
| Brown-crowned Tchagra           | <i>Tchagra australis</i>              | Seen well in Polokwane GR                       |
| Black-crowned Tchagra           | <i>Tchagra senegalus</i>              | Seen well in Kruger                             |
| Black-backed Puffback           | <i>Dryoscopus cubla</i>               | Common throughout                               |
| Southern Boubou                 | <i>Laniarius ferrugineus</i>          | Seen in St Lucia                                |
| Crimson-breasted Shrike         | <i>Laniarius atrococcineus</i>        | Great looks at this beauty at Polokwane         |
| Brubru                          | <i>Nilaus afer</i>                    | Seen in Mkhuze                                  |
| Grey Cuckooshrike               | <i>Coracina caesia</i>                | Seen in Dlinza and Woodbush forests             |
| Black Cuckooshrike              | <i>Campephaga flava</i>               | Great views in Mkhuze                           |
| Magpie Shrike                   | <i>Urolestes melanoleucus</i>         | Many great sightings around Kruger              |
| Southern White-crowned Shrike   | <i>Eurocephalus anguitimens</i>       | Seen on entering Kruger                         |
| <i>Red-backed Shrike</i>        | <i>Lanius collurio</i>                | <i>Many in Mkhuze &amp; Kruger</i>              |
| <i>Lesser Grey Shrike</i>       | <i>Lanius minor</i>                   | <i>Several in Kruger and Polokwane</i>          |
| Southern Fiscal                 | <i>Lanius collaris</i>                | Common and widespread                           |
| <i>Eurasian Golden Oriole</i>   | <i>Oriolus oriolus</i>                |                                                 |
| Black-headed Oriole             | <i>Oriolus larvatus</i>               | Often seen                                      |
| Square-tailed Drongo            | <i>Dicrurus ludwigii</i>              | Seen at Eshowe, Mkuze and Magoebaskloof         |
| Fork-tailed Drongo              | <i>Dicrurus adsimilis</i>             | Seen on the majority of days                    |
| Blue-mantled Crested Flycatcher | <i>Trochocercus cyanomelas</i>        | Good looks in the Woodbush Forest               |
| African Paradise Flycatcher     | <i>Terpsiphone viridis</i>            | Seen on a few occasions                         |
| Cape Crow                       | <i>Corvus capensis</i>                | Common in the high country                      |
| Pied Crow                       | <i>Corvus albus</i>                   | Common throughout                               |
| White-necked Raven              | <i>Corvus albicollis</i>              | Quite a few good sightings in mountainous areas |
| <b>Drakensberg Rockjumper</b>   | <b><i>Chaetops aurantius</i></b>      | <b>Excellent views in the Drakensberg</b>       |
| <b>Fairy Flycatcher</b>         | <b><i>Stenostira scita</i></b>        |                                                 |
| Southern Black Tit              | <i>Melaniparus niger</i>              | Scattered sightings throughout                  |
| Ashy Tit                        | <i>Melaniparus cinerascens</i>        |                                                 |

|                                 |                                        |                                                  |
|---------------------------------|----------------------------------------|--------------------------------------------------|
| <b>[Southern] Grey Tit</b>      | <b><i>Melaniparus afer</i></b>         |                                                  |
| Grey Penduline Tit              | <i>Anthoscopus caroli</i>              |                                                  |
| Cape Penduline Tit              | <i>Anthoscopus minutus</i>             |                                                  |
| Eastern Nicator                 | <i>Nicator gularis</i>                 | Seen in Bonamanzi                                |
| Spike-heeled Lark               | <i>Chersomanes albofasciata</i>        | Many around Wakkerstroom                         |
| <b>Short-clawed Lark</b>        | <b><i>Certhilauda chuana</i></b>       | <b>Great looks in the Polokwane Game reserve</b> |
| <b>Eastern Long-billed Lark</b> | <b><i>Certhilauda semitorquata</i></b> | <b>Excellent views in Wakkerstroom</b>           |
| Dusky Lark                      | <i>Pinarocorys nigricans</i>           | Good looks at this handsome lark in Kruger       |
| Chestnut-backed Sparrow-Lark    | <i>Eremopterix leucotis</i>            | Seen in Kruger                                   |
| Sabota Lark                     | <i>Calendulauda sabota</i>             | Common in Kruger & Polokwane                     |
| <b>Rudd's Lark</b>              | <b><i>Heteromira fra ruddi</i></b>     | <b>One seen near its nest in Wakkerstroom</b>    |
| <b>Eastern Clapper Lark</b>     | <b><i>Mira fra fasciolata</i></b>      |                                                  |
| Rufous-naped Lark               | <i>Mira fra africana</i>               | Seen in the Polokwane Game Reserve               |
| Flappet Lark                    | <i>Mira fra rufocinnamomea</i>         | Briefly seen outside Tzaneen                     |
| Monotonous Lark                 | <i>Mira fra passerina</i>              |                                                  |
| <b>Botha's Lark</b>             | <b><i>Spizocorys fringillaris</i></b>  | <b>Great looks NW of Wakkerstroom</b>            |
| <b>Large-billed Lark</b>        | <b><i>Galerida magnirostris</i></b>    | <b>Seen well in Lesotho</b>                      |
| Red-capped Lark                 | <i>Calandrella cinerea</i>             | Common around Wakkerstroom                       |
| Dark-capped Bulbul              | <i>Pycnonotus tricolor</i>             | Seen daily                                       |
| Sombre Greenbul                 | <i>Andropadus importunus</i>           | Common and widespread                            |
| Yellow-bellied Greenbul         | <i>Chlorocichla flaviventris</i>       | Seen at St Lucia and Mkhuze                      |
| Terrestrial Brownbul            | <i>Phyllastrephus terrestris</i>       | Seen throughout in various forests               |
| Yellow-streaked Greenbul        | <i>Phyllastrephus flavostriatus</i>    | Seen at Magoebaskloof                            |
| Black Saw-wing                  | <i>Psolidoprocne pristopectera</i>     | Seen on several occasions                        |
| Brown-throated Martin           | <i>Riparia paludicola</i>              | Scattered sightings throughout                   |
| <i>Sand Martin</i>              | <i>Riparia riparia</i>                 | <i>Seen in St Lucia</i>                          |
| Banded Martin                   | <i>Riparia cincta</i>                  | <i>Good looks around Wakkerstroom</i>            |
| <i>Barn Swallow</i>             | <i>Hirundo rustica</i>                 | <i>Seen daily</i>                                |
| White-throated Swallow          | <i>Hirundo albigularis</i>             | Seen on the majority of days                     |
| Wire-tailed Swallow             | <i>Hirundo smithii</i>                 | Seen at Mkuze and Kruger                         |
| Blue Swallow                    | <i>Hirundo atrocaerulea</i>            | Seen near Harding, KZN                           |

|                                    |                                       |                                                             |
|------------------------------------|---------------------------------------|-------------------------------------------------------------|
| Rock Martin                        | <i>Ptyonoprogne fuligula</i>          | Seen on a few occasions                                     |
| Common House Martin                | <i>Delichon urbicum</i>               | A few sightings here and there                              |
| <b>Greater Striped Swallow</b>     | <b><i>Cecropis cucullata</i></b>      | <b>Seen on the majority of days in the higher altitudes</b> |
| Lesser Striped Swallow             | <i>Cecropis abyssinica</i>            | Common and widespread                                       |
| Red-breasted Swallow               | <i>Cecropis semirufa</i>              | Seen in Bonamanzi and Kruger                                |
| <b>South African Cliff Swallow</b> | <b><i>Petrochelidon spilodera</i></b> | <b>Great sightings near Wakkerstroom</b>                    |
| <b>Cape Grassbird</b>              | <b><i>Sphenoeacus afer</i></b>        | <b>Seen at several locations throughout</b>                 |
| Long-billed Crombec                | <i>Sylvietta rufescens</i>            | Seen on several occasions                                   |
| Yellow-throated Woodland Warbler   | <i>Phylloscopus ruficapilla</i>       | Seen at Oribi Gorge & Magoebaskloof forests                 |
| <i>Willow Warbler</i>              | <i>Phylloscopus trochilus</i>         | A few scattered sightings of this summer visitor            |
| Lesser Swamp Warbler               | <i>Acrocephalus gracilirostris</i>    | Seen in reedbeds around Wakkerstroom                        |
| <i>Great Reed Warbler</i>          | <i>Acrocephalus arundinaceus</i>      |                                                             |
| African Reed Warbler               | <i>Acrocephalus baeticatus</i>        | Seen at Franklin Marsh                                      |
| <i>Marsh Warbler</i>               | <i>Acrocephalus palustris</i>         |                                                             |
| African Yellow Warbler             | <i>Iduna natalensis</i>               | Seen on a few occasions                                     |
| <i>Olive-tree Warbler</i>          | <i>Hippolais olivetorum</i>           |                                                             |
| <i>Icterine Warbler</i>            | <i>Hippolais icterina</i>             | Seen in Satara Camp, KNP                                    |
| Little Rush Warbler                | <i>Bradypterus baboecala</i>          | Seen at Franklin Marsh & Wakkerstroom                       |
| <b>Barratt's Warbler</b>           | <b><i>Bradypterus barratti</i></b>    | <b>Seen below Sani Pass</b>                                 |
| Fan-tailed Grassbird               | <i>Schoenicola brevirostris</i>       | Heard only on Sani Pass                                     |
| Red-faced Cisticola                | <i>Cisticola erythrops</i>            | Seen in the KNP and Tzaneen                                 |
| Rattling Cisticola                 | <i>Cisticola chiniana</i>             | The most common cisticola seen                              |
| Tinkling Cisticola                 | <i>Cisticola rufilatus</i>            | Seen in Polokwane                                           |
| Wailing Cisticola                  | <i>Cisticola lais</i>                 | Seen on the way up the Sani Pass                            |
| Rufous-winged Cisticola            | <i>Cisticola galactotes</i>           | Seen near Eshowe                                            |
| Levaillant's Cisticola             | <i>Cisticola tinniens</i>             | Common in the high country                                  |
| Croaking Cisticola                 | <i>Cisticola natalensis</i>           | Seen near Tzaneen                                           |
| Neddicky                           | <i>Cisticola fulvicapilla</i>         | Seen at Oribi Gorge                                         |
| Zitting Cisticola                  | <i>Cisticola juncidis</i>             | A few scattered sightings throughout                        |
| Desert Cisticola                   | <i>Cisticola aridulus</i>             | Seen well at Polokwane                                      |
| <b>Cloud Cisticola</b>             | <b><i>Cisticola textrix</i></b>       | <b>Heard in Wakkerstroom</b>                                |

|                             |                                       |                                             |
|-----------------------------|---------------------------------------|---------------------------------------------|
| Pale-crowned Cisticola      | <i>Cisticola cinnamomeus</i>          | Seen near Wakkerstroom                      |
| Wing-snapping Cisticola     | <i>Cisticola ayresii</i>              | A few brief views around Wakkerstroom       |
| Tawny-flanked Prinia        | <i>Prinia subflava</i>                | Commonly encountered                        |
| Black-chested Prinia        | <i>Prinia flavicans</i>               | Seen in Polokwane                           |
| <b>Karoo Prinia</b>         | <b><i>Prinia maculosa</i></b>         | <b>Seen in Lesotho</b>                      |
| <b>Drakensberg Prinia</b>   | <b><i>Prinia hypoxantha</i></b>       | <b>Seen on a few occasions</b>              |
| Bar-throated Apalis         | <i>Apalis thoracica</i>               | Scattered sightings throughout              |
| <b>Rudd's Apalis</b>        | <b><i>Apalis ruddi</i></b>            | <b>Seen well near St Lucia</b>              |
| Yellow-breasted Apalis      | <i>Apalis flava</i>                   | Scattered sightings throughout              |
| Green-backed Camaroptera    | <i>Camaroptera brachyura</i>          | Commonly encountered                        |
| Stierling's Wren-Warbler    | <i>Calamonastes stierlingi</i>        |                                             |
| Barred Wren-Warbler         | <i>Calamonastes fasciolatus</i>       | Heard only in Polokwane                     |
| Green-capped Eremomela      | <i>Eremomela scotops</i>              |                                             |
| <b>Karoo Eremomela</b>      | <b><i>Eremomela gregalis</i></b>      |                                             |
| Burnt-necked Eremomela      | <i>Eremomela usticollis</i>           | Seen well in Polokwane                      |
| Arrow-marked Babbler        | <i>Turdoides jardineii</i>            | Seen in Kruger and Polokwane                |
| <b>Bush Blackcap</b>        | <b><i>Lioptilus nigricapillus</i></b> | <b>Seen well at up Sani Pass</b>            |
| <i>Common Whitethroat</i>   | <i>Sylvia communis</i>                | <i>Seen well in Polokwane</i>               |
| Chestnut-vented Warbler     | <i>Sylvia subcaerulea</i>             | Seen in Polokwane                           |
| <b>Layard's Warbler</b>     | <i>Sylvia layardi</i>                 |                                             |
| <b>Cape White-eye</b>       | <b><i>Zosterops virens</i></b>        | <b>Common, seen on the majority of days</b> |
| African Yellow White-eye    | <i>Zosterops senegalensis</i>         | Seen in St Lucia                            |
| <b>Gurney's Sugarbird</b>   | <b><i>Promerops gurneyi</i></b>       | <b>Seen very well up Sani Pass</b>          |
| Common Myna                 | <i>Acridotheres tristis</i>           | Widespread in towns                         |
| Common Starling             | <i>Sturnus vulgaris</i>               | Seen in Wakkerstroom Village                |
| Wattled Starling            | <i>Creatophora cinerea</i>            | Common in Kruger                            |
| Black-bellied Starling      | <i>Notopholia corrusca</i>            | Seen in Orbi Gorge, St Lucia & Bonamanzi    |
| Cape Starling               | <i>Lamprotornis nitens</i>            | Common and widespread                       |
| Greater Blue-eared Starling | <i>Lamprotornis chalybaeus</i>        | Seen well in Kruger                         |
| Burchell's Starling         | <i>Lamprotornis australis</i>         | Many sightings in Kruger                    |
| <b>Pied Starling</b>        | <b><i>Lamprotornis bicolor</i></b>    | <b>Widespread in the high country</b>       |

|                             |                                         |                                                     |
|-----------------------------|-----------------------------------------|-----------------------------------------------------|
| Violet-backed Starling      | <i>Cinnyricinclus leucogaster</i>       | Seen well on several occasions                      |
| Red-winged Starling         | <i>Onychognathus morio</i>              | Commonly seen                                       |
| Yellow-billed Oxpecker      | <i>Buphagus africanus</i>               | Seen on Buffalo in Kruger                           |
| Red-billed Oxpecker         | <i>Buphagus erythrorhynchus</i>         | Great sightings in Mkhuze, Kruger & Polokwane       |
| Orange Ground Thrush        | <i>Geokichla gurneyi</i>                | Briefly seen in Magoebaskloof                       |
| Spotted Ground Thrush       | <i>Geokichla guttata</i>                | Seen in Dlinza Forest                               |
| Groundscraper Thrush        | <i>Turdus litsitsirupa</i>              | Seen well in Polokwane                              |
| Kurrichane Thrush           | <i>Turdus libonyana</i>                 | Seen mainly around Mkhuze and Kruger                |
| Olive Thrush                | <i>Turdus olivaceus</i>                 | Seen in Underberg and Sani Pass areas               |
| <b>Karoo Thrush</b>         | <b><i>Turdus smithi</i></b>             | <b>Seen in Wakkerstroom gardens</b>                 |
| Bearded Scrub Robin         | <i>Cercotrichas quadrivirgata</i>       | Great sightings in Bonamanzi                        |
| Kalahari Scrub Robin        | <i>Cercotrichas paena</i>               | Seen in Polokwane                                   |
| White-browed Scrub Robin    | <i>Cercotrichas leucophrys</i>          | Widespread in the East                              |
| <b>Brown Scrub Robin</b>    | <b><i>Cercotrichas signata</i></b>      | <b>Close-up views in St Lucia</b>                   |
| Southern Black Flycatcher   | <i>Melaenornis pammelaina</i>           | Common in Mkhuze and Kruger                         |
| Pale Flycatcher             | <i>Melaenornis pallidus</i>             | Good looks in Kruger                                |
| Marico Flycatcher           | <i>Melaenornis mariquensis</i>          | Seen well in Polokwane                              |
| <b>Fiscal Flycatcher</b>    | <b><i>Melaenornis silens</i></b>        |                                                     |
| <i>Spotted Flycatcher</i>   | <i>Muscicapa striata</i>                | <i>Seen almost daily in the East</i>                |
| Ashy Flycatcher             | <i>Muscicapa caerulescens</i>           | Good looks at Bonamanzi                             |
| African Dusky Flycatcher    | <i>Muscicapa adusta</i>                 | Seen well in Magoebaskloof                          |
| Cape Robin-Chat             | <i>Cossypha caffra</i>                  | Scattered sightings throughout                      |
| White-throated Robin-Chat   | <i>Cossypha humeralis</i>               | Seen very well at Moholoholo                        |
| White-browed Robin-Chat     | <i>Cossypha heuglini</i>                | Seen in Kruger and Tzaneen                          |
| Red-capped Robin-Chat       | <i>Cossypha natalensis</i>              | Seen in St Lucia                                    |
| <b>Chorister Robin-Chat</b> | <b><i>Cossypha dichroa</i></b>          | <b>Seen in the Dlinza Forest</b>                    |
| White-starred Robin         | <i>Pogonocichla stellata</i>            | A juvenile seen in Magoebaskloof                    |
| <b>Cape Rock Thrush</b>     | <b><i>Monticola rupestris</i></b>       | <b>A couple good sightings in the Drakensberg</b>   |
| <b>Sentinel Rock Thrush</b> | <b><i>Monticola explorator</i></b>      | <b>Seen very well in Lesotho</b>                    |
| African Stonechat           | <i>Saxicola torquatus</i>               | Common and widespread                               |
| <b>Buff-streaked Chat</b>   | <b><i>Campicoloides bifasciatus</i></b> | <b>Seen well up Sani Pass and near Wakkerstroom</b> |

|                                         |                                     |                                     |
|-----------------------------------------|-------------------------------------|-------------------------------------|
| <b>Sickle-winged Chat</b>               | <b><i>Emarginata sinuata</i></b>    | <b>Common in Lesotho</b>            |
| Mocking Cliff Chat                      | <i>Thamnolaea cinnamomeiventris</i> | Seen well near Wakkerstroom         |
| Ant-eating Chat                         | <i>Myrmecocichla formicivora</i>    | Seen in Wakkersstroom & Polokwane   |
| Mountain Wheatear                       | <i>Myrmecocichla monticola</i>      | Seen around Wakkerstroom            |
| Familiar Chat                           | <i>Oenanthe familiaris</i>          | Seen along Sani Pass                |
| Collared Sunbird                        | <i>Hedydipna collaris</i>           | A few scattered sightings           |
| Olive Sunbird                           | <i>Cyanomitra olivacea</i>          | A few sightings in KwaZulu-Natal    |
| Grey Sunbird                            | <i>Cyanomitra veroxii</i>           | Seen in Oribi Gorge & St Lucia      |
| Amethyst Sunbird                        | <i>Chalcomitra amethystina</i>      | Seen in a few localities            |
| Scarlet-chested Sunbird                 | <i>Chalcomitra senegalensis</i>     | Seen near Tzaneen                   |
| Malachite Sunbird                       | <i>Nectarinia famosa</i>            | Seen often in the high country      |
| <b>Southern Double-collared Sunbird</b> | <b><i>Cinnyris chalybeus</i></b>    |                                     |
| <b>Neergaard's Sunbird</b>              | <b><i>Cinnyris neergaardi</i></b>   |                                     |
| <b>Greater Double-collared Sunbird</b>  | <b><i>Cinnyris afer</i></b>         | <b>Seen well in Underberg</b>       |
| Marico Sunbird                          | <i>Cinnyris mariquensis</i>         | Seen well at the KNP                |
| Purple-banded Sunbird                   | <i>Cinnyris bifasciatus</i>         | Mainly seen around Bonamanzi        |
| White-bellied Sunbird                   | <i>Cinnyris talatala</i>            |                                     |
| White-browed Sparrow-Weaver             | <i>Plocepasser mahali</i>           | Seen well in Polokwane              |
| House Sparrow                           | <i>Passer domesticus</i>            | Common and widespread               |
| Great Sparrow                           | <i>Passer motitensis</i>            |                                     |
| Cape Sparrow                            | <i>Passer melanurus</i>             | Seen on several occasions           |
| Southern Grey-headed Sparrow            | <i>Passer diffusus</i>              | Commonly seen throughout            |
| Yellow-throated Petronia                | <i>Gymnoris superciliaris</i>       | Seen at a Mkhuze waterhole          |
| Red-billed Buffalo Weaver               | <i>Bubalornis niger</i>             | Seen well at Kruger                 |
| Scaly-feathered Weaver                  | <i>Sporopipes squamifrons</i>       | Seen in Polokwane                   |
| Thick-billed Weaver                     | <i>Amblyospiza albifrons</i>        | Seen at several sites               |
| Spectacled Weaver                       | <i>Ploceus ocularis</i>             | Great views in Eshowe & Kruger      |
| <b>Cape Weaver</b>                      | <b><i>Ploceus capensis</i></b>      | <b>Common in the high country</b>   |
| Eastern Golden Weaver                   | <i>Ploceus subaureus</i>            | Seen several times in KwaZulu-Natal |
| Holub's Golden Weaver                   | <i>Ploceus xanthops</i>             | Seen in Magoebaskloof               |
| Southern Brown-throated Weaver          | <i>Ploceus xanthopterus</i>         | Great views near St Lucia           |

|                             |                                    |                                            |
|-----------------------------|------------------------------------|--------------------------------------------|
| Lesser Masked Weaver        | <i>Ploceus intermedius</i>         | A few scattered sightings                  |
| Southern Masked Weaver      | <i>Ploceus velatus</i>             | The most common masked weaver seen         |
| Village Weaver              | <i>Ploceus cucullatus</i>          | Several colonies seen                      |
| Dark-backed Weaver          | <i>Ploceus bicolor</i>             | Seen well in St Lucia & Mkhuze             |
| Red-headed Weaver           | <i>Anaplectes rubriceps</i>        | Seen by some in Kruger                     |
| Red-billed Quelea           | <i>Quelea quelea</i>               | Abundant in most lowland areas             |
| Yellow-crowned Bishop       | <i>Euplectes afer</i>              | Seen well in Wakkerstroom                  |
| Southern Red Bishop         | <i>Euplectes orix</i>              | Seen on majority of days mainly near vleis |
| Yellow Bishop               | <i>Euplectes capensis</i>          | Scattered sightings throughout             |
| Fan-tailed Widowbird        | <i>Euplectes axillaris</i>         | Common around Wakkerstroom                 |
| White-winged Widowbird      | <i>Euplectes albonotatus</i>       | Seen well in Kruger and Tzaneen            |
| Red-collared Widowbird      | <i>Euplectes ardens</i>            | Common in upland marshes                   |
| Long-tailed Widowbird       | <i>Euplectes progne</i>            | Common in upland grassland & marshes       |
| Green-winged Pytilia        | <i>Pytilia melba</i>               | Seen at Mkhuze                             |
| Pink-throated Twinspot      | <i>Hypargos margaritatus</i>       | Seen well in Mkhuze                        |
| Red-billed Firefinch        | <i>Lagonosticta senegala</i>       | Seen in Mkhuze                             |
| African Firefinch           | <i>Lagonosticta rubricata</i>      | Seen near Magoebaskloof                    |
| Jameson's Firefinch         | <i>Lagonosticta rhodopareia</i>    | Seen on the Sabie River in Kruger          |
| Blue Waxbill                | <i>Uraeginthus angolensis</i>      | Several seen in Mkuze and Polokwane        |
| Violet-eared Waxbill        | <i>Uraeginthus granatinus</i>      | Seen by some at Polokwane                  |
| <b>Swee Waxbill</b>         | <b><i>Coccyzygia melanotis</i></b> | <b>Briefly seen by some Magoebaskloof</b>  |
| Grey Waxbill                | <i>Estrilda perreini</i>           | Seen in Mkhuze                             |
| Common Waxbill              | <i>Estrilda astrild</i>            | Common and widespread                      |
| Quailfinch                  | <i>Ortygospiza atricollis</i>      | Seen briefly by some in Wakkerstroom       |
| Bronze Mannikin             | <i>Lonchura cucullata</i>          | Common in the east                         |
| Purple Indigobird           | <i>Vidua purpurascens</i>          | Seen near Tzaneen                          |
| Dusky Indigobird            | <i>Vidua funerea</i>               | Seen near Bonamanzi                        |
| Pin-tailed Whydah           | <i>Vidua macroura</i>              | Commonly recorded                          |
| Shaft-tailed Whydah         | <i>Vidua regia</i>                 | Seen well at Polokwane                     |
| Long-tailed Paradise Whydah | <i>Vidua paradisaea</i>            | Seen in Mkhuze                             |
| Cuckoo-finch                | <i>Anomalospiza imberbis</i>       |                                            |

|                              |                                       |                                           |
|------------------------------|---------------------------------------|-------------------------------------------|
| Cape Wagtail                 | <i>Motacilla capensis</i>             | Seen on the majority of days              |
| Grey Wagtail                 | <i>Motacilla cinerea</i>              |                                           |
| Mountain Wagtail             | <i>Motacilla clara</i>                | Seen well at Oribi Gorge                  |
| African Pied Wagtail         | <i>Motacilla aguimp</i>               | Several sightings                         |
| <b>Cape Longclaw</b>         | <b><i>Macronyx capensis</i></b>       | <b>Seen at several locations</b>          |
| Yellow-throated Longclaw     | <i>Macronyx croceus</i>               | Great looks near Tzaneen                  |
| African Pipit                | <i>Anthus cinnamomeus</i>             | The common pipit in the region            |
| <b>Mountain Pipit</b>        | <b><i>Anthus hoeschi</i></b>          | <b>Seen in Lesotho</b>                    |
| Long-billed Pipit            | <i>Anthus similis</i>                 |                                           |
| Buffy Pipit                  | <i>Anthus vaalensis</i>               | Seen in Polokwane                         |
| <b>African Rock Pipit</b>    | <b><i>Anthus crenatus</i></b>         | <b>Seen well south of Wakkerstroom</b>    |
| <b>Yellow-breasted Pipit</b> | <b><i>Anthus chloris</i></b>          | <b>Seen displaying near Wakkerstroom</b>  |
| <b>Forest Canary</b>         | <b><i>Crithagra scotops</i></b>       | <b>Seen at Bulwer &amp; Magoebaskloof</b> |
| Black-throated Canary        | <i>Crithagra atrogularis</i>          | Seen in Wakkerstroom and Polokwane        |
| <b>Lemon-breasted Canary</b> | <b><i>Crithagra citrinipectus</i></b> | <b>Seen at Bonamanzi</b>                  |
| Yellow-fronted Canary        | <i>Crithagra mozambica</i>            | Commonly seen                             |
| <b>Drakensberg Siskin</b>    | <b><i>Crithagra symonsi</i></b>       | <b>Great looks up Sani Pass</b>           |
| Yellow Canary                | <i>Crithagra flaviventris</i>         | Seen in Lesotho                           |
| Brimstone Canary             | <i>Crithagra sulphurata</i>           | Seen along Sani Pass                      |
| Streaky-headed Seedeater     | <i>Crithagra gularis</i>              | Several sightings                         |
| Cape Canary                  | <i>Serinus canicollis</i>             | Common and widespread                     |
| Cinnamon-breasted Bunting    | <i>Emberiza tahapisi</i>              | Several sightings                         |
| Cape Bunting                 | <i>Emberiza capensis</i>              | Seen well in the Drakensberg              |
| Golden-breasted Bunting      | <i>Emberiza flaviventris</i>          | Seen well in Mkhuze                       |